



ESTABLISHED IN 1952

RUBBER

PRODUCTS & MOULDINGS (PTY) LTD
REG. NO. 5703473/07

Anti-vibration Mountings




Everything that is subjected to vibration-stress, your cars engine, mechanical vibrators, electrical motors, compactors, industrial machines, vibrating tables, etc-needs to be supported by flexible mountings to cushion shock. *RPM* manufactures a wide range of rubber mountings to choose from.

ANTI-VIBRATION MOUNTINGS (cushion connectors) consist of a pair of round metal plates, from the centre of which studs project for a suitable distance. Between these steel plates is 'bonded' a cylindrical shaped cushion of high tensile rubber.


Bonded buffers are used extensively for flexible feet on machinery, compressors and stamping equipment. They are built to limit movement and stabilize equipment at critical frequencies. They offer a long service life with resultant freedom from permanent set.

PROGRESSIVE BONDED BUFFERS are specifically designed to control impact and torque reaction loads. A rugged rubber bonded to metal unit ensures simplicity of application and ease of installation.




ALL MOUNTINGS MANUFACTURED AT OUR FACTORY IN MAITLAND

DOUBLE MALE



Part Code	A mm	B mm	C mm	D mm	E mm	Max.Load kg	Defln. mm
185	25	25	22	6		40	3
186	37	35	23	8	27	40	2.5
192	13	14.5	10	5	13	8	1.6
193	25	22	19	8	25	40	3
194	20	18	16.5	6	14	12	2.5
195	40	28	23	10		90	3.5
196	32	21	23	8	23	40	3
197	40	29	23	10	20	30	5
198	59	44	22	8	25	40	4
199	57	42	22	8	35	75	5
200	22	15	22	6		35	2.5
202	10	10	10	4		4	1.5
213	40	28	23	8		90	3.5
230	50	20	22	10		100	1.5
235	60	37	22	10		150	3.5
236	60	24	22	10		150	1.5
237	73	49	22	10		300	7
244	65	60	26	10		150	8
260	73	38	22	10		300	6
266	58	50	22	10		150	6
282	74	50	37	12		300	7
283	40	39	28	8		90	6
284	16	16.5	13	5		10	2
567	16	12	12	6mm, 1/4bsf		9	1.8
19102	20	25	18	6		30	2.7
23402	60	60	22	10	49	150	8
24902	95	70	36	16	80	400	10
29502	51	30	22	10		120	4


DOUBLE FEMALE



Part Code	A mm	B mm	C mm	D mm	Max.Load kg	Defln. mm
291	32	30	8		35	4
292	30	30	6		30	4
295	51	30	10		120	4
19101	20	25	6		30	2.7
19502	40	28	10		90	3.5
19901	57	42	8	35	75	5
20101	100	60	16		400	8
23403	60	60	10	49	150	8
24202	40	24	8		85	5
24903	95	70	16	80	400	10
26002	73	38	10		300	6
28203	74	50	12		300	7
28302	40	39	8		90	6
27100	46	55	8	28	35	7

special

MALE/FEMALE




Part Code	A mm	B mm	C mm	D mm	E mm	Max.Load kg	Defln. mm
191	20	25	18	6		30	2.7
201	100	60	36	16		400	8
19501	40	28	23	10		90	3.5
23404	60	60	22	10	49	150	8
24904	95	70	36	16	80	400	10
26001	73	38	22	10		300	6
28204	74	50	37	12		300	7
28301	40	39	28	8		90	6
29501	51	30	22	10		120	4

THE ABOVE MEASUREMENTS ARE TO BE USED AS A GUIDE ONLY




RUBBER
PRODUCTS & MOULDINGS (PTY) LTD



MACHINE MOUNTINGS


Part Code	A mm	B mm	C mm	D mm	E mm	F mm	Max. Load kg	Defin. mm
258	30	13	40	6	52	6	6	2
262	50	19	60	8	83	8	15	3
268	58	24	76	12	95	9	60	3
269	39	24	60	8	79	9	8	3
271	74	29	95	12	118	11	60	3
272	100	28	126	10	150	12	100	4



COMPACTOR MOUNTINGS


Part Code	A mm	B mm	C mm	D mm	E mm	Max. Load kg	Defin. mm
298	150	41	126	12	50	500	3.5
*299	168	50	145	10	56	500	3.5
** 300	168	41	145	10	50	500	2.5

*OFF SET BY 12mm
**REINFORCED



HANGER MOUNTINGS

Part Code	A mm	B mm	C mm	D mm	Max. Load kg
227	61	28	19	27	1
228	70	43	25	33	1.5



ENGINE MOUNTINGS

Part code	A mm	B mm	C mm	D mm	E mm	F mm	Max. load kg
342	58	28	75	12	90	10	100


Especially manufactured for heavy duty motorcar engines.

THE ABOVE MEASUREMENTS ARE TO BE USED AS A GUIDE ONLY




RUBBER
PRODUCTS & MOULDINGS (PTY) LTD
REG. NO. 123456789

PROGRESSIVE BONDED BUFFERS




Part Code	A mm	B mm	C mm	D mm	IMPACT LOAD/KG
204	21	25	18	6	10
205	25.5	20	19	8	30
206	30	30	13.5	6	40
207	50	65	28	8	50
208	60	40	37	10	50
209	50	58	28	8	50
210	50	50	28	8	50
238	74	60	37	12	75
239	95	80	36	16	100
293	52	84	47	10	60
296	46	48	23	10	50

BONDED BUFFERS



Part Code	A mm	B mm	C mm	D mm	E mm	Max. Load kg	Defin. mm
203	100	100	36	16		400	10
229	25	11	12	6		10	1.5
231	25	11	40	8		10	1.5
240	13	13.5	10	5		8	1.6
241	25	19	19	8		40	3
242	40	25	23	10		90	3.5
243	53	30	37	10		120	4
245	25	11	20	8		15	1.5
246	60	25	22	10		150	1.5
247	80	65	37	12		300	10
248	80	25	37	12		300	1.5
249	28	18	-	form. 6mm		20	2
251	35	19	23	8	34	30	3
252	24	16	16.5	6		10	2
274	73	27	22	10		300	3
23401	60	60	22	10	49	150	8
24901	95	70	36	16	80	400	10

THE ABOVE MEASUREMENTS ARE TO BE USED AS A GUIDE ONLY



SHOWROOM SALES: CNR OF 15TH AVE & VOORTREKKER ROAD MAITLAND
 TEL:021 593 2110
 FAX:021 593 4535

FACTORY MANUFACTURING: CNR OF 16TH AVE & VOORTREKKER ROAD MAITLAND
 (CUSTOM MADE PRODUCTS) TEL:021 593 8134
 FAX:021 593 8981

EMAIL US AT: info@rpm.co.za
 OR VISIT OUR WEBSITE: www.rpm.co.za